



HPD

CERTIFICATION

45 West 23rd Street, New York, NY 10010 | Showroom - 212.256.1540
tilebar.com | info@tilebar.com | Client Services - 888.541.3840

tilebar



tilebar

LINES COLLECTION

CLASSIFICATION: Ceramica Bardelli Lines porcelain wall & floor tiles

PRODUCT DESCRIPTION: A collection of rectified, dry pressed, single fired, fully vetrified tiles. This makes them extremely strong, colourfast, scratch resistant, and water, weather and frost proof. Suitable for indoor and outdoor applications. Sizes ranging from 24"x 24" to 24"x 48", with three colour families - light grey, anthracite and mud - and two different finishes. Manufactured by Ceramica Bardelli, Italy.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?
 Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
% weight and role provided for all substances.

Screened Yes Ex/SC Yes No
All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No
All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

LINES [SILICA, AMORPHOUS LT-P1 | CAN ALUMINUM OXIDE (AL2O3), CHROMIUM-DOPED NoGS SODIUM OXIDE LT-UNK POTASSIUM OXIDE LT-UNK ANATASE (TIO2) (PRIMARY CASRN IS 1317-70-0) LT-1 | CAN CALCIUM OXIDE (CAO), SOLID SOLN. WITH SILICA, STRONTIUM OXIDE AND ZINC OXIDE, CERIUM AND MANGANESE-DOPED NoGS IRON OXIDE (FE2O3), HYDRATE NoGS PERICLASE (MGO) LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration applies to Ceramica Bardelli porcelain floor & wall tile collection: Lines, Zip

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Residential scenario

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2019-12-05

PUBLISHED DATE: 2019-12-12

EXPIRY DATE: 2022-12-05



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

LINES

PRODUCT THRESHOLD: **Other**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: All ingredients have been assessed and verified according to the Safety data Sheet Product Certification, collection Lines

OTHER PRODUCT NOTES: All ingredients have been assessed and verified according to the Safety data Sheet Product Certification, collection Lines

SILICA, AMORPHOUS

ID: 7631-86-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-12-05**

#: **60.00 - 75.00**

GS: **LT-P1**

RC: **PreC**

NANO: **No**

ROLE: **Base Material**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Material for "Body"

ALUMINUM OXIDE (AL2O3), CHROMIUM-DOPED

ID: 99328-47-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-12-05**

#: **10.00 - 20.00**

GS: **NoGS**

RC: **PreC**

NANO: **No**

ROLE: **Base Material**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Material for "Body"

SODIUM OXIDE

ID: 1313-59-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-12-05**

#: **2.00 - 5.00**

GS: **LT-UNK**

RC: **PreC**

NANO: **No**

ROLE: **Base Material**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: material for "Body"		

POTASSIUM OXIDE

ID: 37382-43-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-12-05		
%: 1.50 - 4.00	GS: LT-UNK	RC: PreC	NANO: No	ROLE: Base Material
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Material for "Body"				

ANATASE (TIO2) (PRIMARY CASRN IS 1317-70-0)

ID: 12036-20-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-12-05		
%: 0.50 - 1.50	GS: LT-1	RC: PreC	NANO: No	ROLE: Base Material
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
SUBSTANCE NOTES: Material for "Body"				

CALCIUM OXIDE (CAO), SOLID SOLN. WITH SILICA, STRONTIUM OXIDE AND ZINC OXIDE, CERIUM AND MANGANESE-DOPED

ID: 101357-05-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-12-05		
%: 0.20 - 2.00	GS: NoGS	RC: PreC	NANO: No	ROLE: Base Material
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Material for "Body"				

IRON OXIDE (FE2O3), HYDRATE

ID: 12259-21-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-12-05**%: **0.20 - 2.00**GS: **NoGS**RC: **PreC**NANO: **No**ROLE: **Base Material**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found**No warnings found on HPD Priority Hazard Lists**SUBSTANCE NOTES: **Material for "Body"****PERICLASE (MGO)**

ID: 1317-74-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-12-05**%: **0.20 - 2.00**GS: **LT-UNK**RC: **PreC**NANO: **No**ROLE: **Base Material**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found**No warnings found on HPD Priority Hazard Lists**SUBSTANCE NOTES: **Material for "Body"**

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Residential scenario

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-**

EXPIRY DATE:

CERTIFIER OR LAB: **TCNA**

APPLICABLE FACILITIES: **Ceramica Bardelli**

12-10

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **LEED Classification: Ceramic wall and floor tiles qualify for LEED V4 credit IEQ 4.3 without any requirements because they are considered 'inherently nonemitting sources'. Text from LEED credit: "Products that are inherently nonemitting sources of VOCs (stone, ceramic, powder-coated metals, plated or anodized metal, glass, concrete, clay brick, and unfinished or untreated solidwood flooring) are considered fully compliant without any VOC emissions testing if they do not include integral organic-based surface coatings, binders, or sealants". VOCs self declaration: Altaeco S.p.A. certifies the absence of VOCs in digital ceramic glazes and inks and can exhibit the supplier certificate for this raw materials.**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Ceramica Bardelli floor tiles (Lines, Zip collections) contain up to 9% pre-consumer recycled content.



MANUFACTURER INFORMATION

MANUFACTURER: **altaeco**
 ADDRESS: **Via Giovanni Pascoli 4/6**
Vittuone Milano 20010, Italy
 WEBSITE: **www.ceramicabardelli.com**

CONTACT NAME: **Luca Berti**
 TITLE: **Production Manager**
 PHONE: **+39 2 90 25 18 1**
 EMAIL: **info@altaeco.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.